
Historical Flooding

Properties affected by each storm.

Includes - properties with an explicit report eg letter or returned questionnaire

Excludes - properties known or believed from other sources to flood, water company's confidential flood register, highway flooding, unreported flooding, etc

1986/7	Mont	Day	Tim					
Number	comment	road	garden	internal	depth	duration	source	
Fewston Close								
7		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2"	3 to 4 hours	stream, rain	

1987	Mont	12	Day	Tim						
Number	comment		road	garden	internal	depth		duration		source
Linton Close										
4			<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					rain

1992	Mont	July	Day	Tim						
Number	comment			road	garden	internal	depth	duration	source	
Muston Road										
40					<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9"	6 hours	front to back, up from gullies, rain, sewers

1993 Mont 11 Day 24 Tim

Number	comment	road	garden	internal	depth	duration	source
--------	---------	------	--------	----------	-------	----------	--------

Muston Road

12	see letter to YW 1993	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>			
----	-----------------------	--------------------------	--------------------------	-------------------------------------	--	--	--

1994	Mont	Day	Tim						
	1.		-						
	Number	comment		road	garden	internal	depth	duration	source
Linton Close									
7				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4 - 6 "		rain

1997	Mont	Day	Tim					
	1		-					
	Number	comment	road	garden	internal	depth	duration	source
Linton Close	7		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4 - 6 "		rain

1998	Mont	Day	Tim						
	Number	comment	road	garden	internal	depth	duration	source	

Wharnccliffe Place

8	night	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>				ditch and rain water
---	-------	--------------------------	-------------------------------------	--------------------------	--	--	--	----------------------

1999	Mont	10	Day	Tim						
	Number	comment	road	garden	internal	depth	duration	source		
Barden Place										
	2		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6"	2 hours	rain, sewers		
Harewood Drive										
	5		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"	12 hours	rain, sewers		

2000 Mont 10 Day ? Tim night?

	Number	comment	road	garden	internal	depth	duration	source
Barden Place								
	2		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6"	5hrs	overland flow from Wharfedale, rain, sewers
	8	Night, not here, Rivelin, Ewden	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			stream, rain
Chevin Drive								
	4		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4"	4 hours	
Fewston Close								
	1		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"		stream, rain
	5		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6" garage	5 hours	stream
	5	sheet flow in garden	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3/4"		
	7		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9" (managed)	6 hours +	stream, rain
Harewood Drive								
	5		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"	12 hours	rain, sewers
	8		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	door step	few hours	rain
Linton Close								
	4		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			rain,sewers
	7		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"	3 hours	rain
	8		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1 foot	4 hours	rain, sewers
	9	(actually reported as 25 Nov)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1m	4 hours	rain, sewers
Midhope way								
	10	not flooded	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0		
Muston Road								
	10		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2" to 1'	few hours	sewers
	3		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4"	2 hours	rain
	40		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9"	6 hours	front to back, up from gullies, rain, sewers
	74a	regular event	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"	12 hours	rain
Wharfedale								
	12		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10"	8 hours	rain, sewers

16	recorded against december 2000.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	5"	2 days	rain
48	Knocked wall down	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4"	16 hours overnight	overland from Fewston Close

2001	Mont	11	Day	Tim					
	Number	comment	road	garden	internal	depth	duration	source	
Muston Road									
	3		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4"	2 hours	rain	
	31		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	knee	2 hours	Muston Road, rain	

2002	Mont 8	Day 10	Tim					
	Number	comment	road	garden	internal	depth	duration	source
Barden Place								
	8		✓	✓	□	3"	3 hours	stream, rain
Burnsall Close								
	7	surface water only, neighbours affected	✓	✓	✓	200mm	all day	rain
Cawthorne Crescent								
	25	until sewers flood gate opened	□	✓	□	4"	1.5 days	sewers
	28		□	✓	□	12"	6hours	rain, sewers
	3		✓	✓	✓	9"	all day	rain, sewers
	6	toilet affected - came to top	□	✓	✓	slight	late evening	
Chevin Drive								
	4	slow gully	✓	✓	□	3" garden, 5" road	6 hours	overland flow from nr 6, rain
	6		✓	✓	✓	12"	till 3:30	rain, sewers
Church Cliff Farm								
	The Gran	received 22/9/03	✓	✓	✓	1'	2 hours (5:30 am)	rain, runoff from park road
Fewston Close								
	1		✓	✓	□	12"		stream, rain
	5		□	✓	✓	6" garage	4 hours +	stream
	7	3.5" rain. Trees give rise to debris -->blockage	□	✓	✓	14"	2.5 hours storm, 6hopurs floc	Overland flow from ditch at rear, out via nr 5 etc
Harewood Drive								
	1		□	✓	✓	up to joists, 150mm	24 hours	rain, sewers
	12		✓	✓	□	12"	24 hours	rain, sewers
	5	Drain cleaning seems to have stopped it	✓	✓	✓	15"	12 hours	rain, sewers
	7	evacuated	✓	✓	✓	o/s Knee, i/s skirting board	several hours	rain, sewers
	8	traffic waves	✓	✓	□	doorstep height	1/2 day 6hrs	rain
Leyburn Place								
	1		✓	✓	□	6"	till 5pm	stream, rain, sewers
	4		✓	✓	✓	6 to 18"		

Linton Close

11	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
4		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2' to 3'	6 to 7 hours	Muston Road, rain, sewers
7	blames Cawthorne Rd drain	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	24"	7 hours	rain, muston rd sewer
8	Muston Road	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3 feet	6 hours	rain, sewers
9		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	30 "	6 hours	rain, sewers

Midhope way

3	No known problem	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	25-40mm	24 hours	rain
---	------------------	--------------------------	-------------------------------------	--------------------------	---------	----------	------

Muston Road

10		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2'	12.5 hours	sewers
12	see also 1993	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9" internal	till pumped out	rain, sewers
18		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2 feet, 3.5 feet cellar	8-10 hours	rain
26		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2"	8 hours	rain, sewer
3		<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6"	6 hours	Goods yard? Rain, sewers
38	3 years regular	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2'	24 hours	Muston Road, rain, sewer
40		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12"	8 hours	front to back, up from gullies, rain, sewers
44	Many more recent incidents	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7" in porch	14 hours	rain, sewers

Sycamore Avenue

51	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	underfloor		overflow from dyke at rear
58		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2' external	12 hours	stream? Rain, sewers

Wharfedale

12	blames modification of pump station @ Wharfedale	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12"	10 hours	rain, sewers
16	regular	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10"	6 hours	overland from gardens above, rain
30	floods quickly	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4"	8 hours	rain
48	knocked wall down	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4"	early afternoon	overland from Fewston Close
5		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	7"	10 hours	rain

Wharnccliffe Place

7	wall knocked down	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3"	3 hrs (managed	
---	-------------------	--------------------------	-------------------------------------	-------------------------------------	----	----------------	--

8



up to air bricks

went during day

ditch, rain

2003 Mont 08 Day 11 Tim 11:30 - 12:30

	Number	comment	road	garden	internal	depth	duration	source
Crescent Hill								
	@ Promer	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			cover lifted
Harewood Drive								
	10	SBC letter 19/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		15 mins	
Linton Close								
	11	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>			ponding - gully problems?
	8	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	8	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Muston Road								
	10	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		similar to storm	Station yard
	3	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Ravine Road								
	At promer	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			cover lifted
	by Churc	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			cover lifted
Scarborough Road								
	87	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Service R	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Service R	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Service R	FTC letter 20/8/03	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			